

CEYLON NATIONAL MUSEUMS PUBLICATION

A COLORED ATLAS OF
SOME VERTEBRATES
FROM CEYLON

(Illustrated by the Author)

VOLUME TWO

TETRAPOD REPTILIA

By

P. E. P. DERANIYAGALA

Director of National Museums, Ceylon



1953

THE CEYLON GOVERNMENT PRESS

TABLE OF CONTENTS

	PART	PAGE		PAGE
Systematic Index	v		Class Reptilia	3
List of Text Figures	ix		Order Testudinata	7
List of Half-tone Plates	xi		Order Crocodylia	27
List of Colored Plates	xiii		Order Squamata	35
Introduction	xv		suborder Lacertoides	35
Classification	xvii		References to Literature	89
Zoogeography	1		Index	93

LIST OF TEXT FIGURES

- | Fig. No. | Fig. No. |
|--------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| 1. Map of Ceylon | 25. Ossification in <i>Lissemys punctata ceylonensis</i> , in hatchling, adolescent, and old specimens |
| 2. Nuchal bone of <i>Melanochelys trijuga sinhaloyes</i> esp. nov. | 26. (a) <i>Crocodylus palustris kimbala</i> Deraniyagala |
| 3. The nuchal bone in Testudinata | (b) Its acetabulum |
| 4. A schematic longitudinal section of an Athecan turtle | 27. Osteoderms in the Ceylon Crocodiles <i>Crocodylus palustris kimbala</i> and <i>Crocodylus porosus</i> Schneider |
| 5. <i>Eunotosaurus africanus</i> Seeley | 28. Schematic head of a crocodile showing sculation |
| 6. A schematic longitudinal section of a Thecoporan testudinata | 29. Skull bones of <i>Crocodylus palustris kimbala</i> (a), (b), (c), schematic, (d) in embryo and exact |
| 7. Part of pectoral girdle of <i>Lepidochelys olivacea olivacea</i> (Esch.) | 29A. Skull of adult <i>Crocodylus palustris kimbala</i> |
| 8. Schema of testudinate cephalic sculation | 30. Embryology in <i>Crocodylus porosus</i> , egg shell, developing embryos, terminal caudal hook |
| 9. A guide to the scutes and bones of the Thecoporan corselet | 31. Schematic head of a lizard explaining the sculation |
| 10. <i>Dermochelys coriacea</i> , showing mature embryo, adult male and cruro-caudalfold | 32. <i>Cnemaspis podikuna</i> Deraniyagala, head, pores, and sculation |
| 11. Skull of <i>Dermochelys coriacea</i> (Linné) | 33. Embryo of <i>Gymnodactylus frenatus</i> showing ossification |
| 12. Corelet ossification in <i>Dermochelys</i> | 34. <i>Geckoella yakhsua</i> Deraniyagala, nine specimens, showing banding in young bred in captivity |
| 13. Pelves of the Testudinata of Ceylon | 34A. <i>Calodactyloche ilingworthi</i> Deraniyagala, ventral view of left hand and foot $\times 2\frac{1}{2}$ |
| 14. <i>Dermochelys</i> nesting, also some eggs | 35. Embryo of <i>Lyriocephalus acutatus</i> |
| 15. Posterior or Pygal areas of carapaces of <i>Caretta caretta gigas</i> Deraniyagala and <i>Chelonia mydas</i> (Linné) | 36. <i>Mabuya beddomei</i> (Jerdon) |
| 16. Skulls of the Caretinae of Ceylon | 37. <i>Mabuya macularia</i> (Blyth) Two color variations |
| 17. Carapace bones of Caretinae of Ceylon compared | 38. <i>Sphenomorphus dorsicatenatus</i> sp. nov. |
| 18. <i>Caretta caretta gigas</i> , male and female | 39. <i>Sphenomorphus fallax</i> Peters |
| 19. Head sculation and anterior ends of carapaces of <i>Eretmochelys</i> and <i>Chelonia</i> | 40. <i>Nessia didactyla</i> Deraniyagala |
| 20. Corselet ossification in <i>Eretmochelys imbricata</i> | 41. <i>Bipedes smithi</i> Deraniyagala, adult, skull, and pectoral girdle |
| 21. <i>Chelonia mydas</i> , dorsal view, plastron and scuteless adult | 42. <i>Bipedes smithi</i> embryo |
| 22. <i>Melanochelys trijuga thermalis</i> (Lesson) skull and embryo | 43. <i>Cabrila leschenaulti</i> (Lankester) sp. nov. |
| 23. <i>Testrudo</i> (<i>Geochelone</i>) <i>elegans</i> (Schopff) young adult, skull, and carapace bones | 44. <i>Varanus cepedianus cepedianus</i> (Daudin), heads, and hemipenis |
| 24. Young <i>Lissemys punctata ceylonensis</i> (Gray) | |

LIST OF HALF-TONE PLATES

- Plate I. Fossils of extinct *Melanochelys* and *Crocodylus* from Ceylon.
- Plate II. Photographs of a nesting *Dermochelys coriacea* taken at Kosgoda (Deraniyagala 1944). *a* side view. *b* front view $\times 1/10$ nat. size. *c* right hind flipper and pygal part of carapace $\times 1/7$ nat. size. *d* eggs $\times \frac{1}{2}$ nat. size.
- Plate III. Photographs of *Dermochelys*. *c* and *d* a hatchling. *e* and *f* a 500-day old specimen reared in captivity. *a* Line drawings of plastral ridge scales of an 18-day old specimen. *b* plastral scales of a 29-day old specimen.
- Plate IV. Photographs of *Lepidochelys olivacea olivacea*. *a* half grown. *b* nearly adult (dorsal). *c* view of *b*. *d* drawing of *a*.
- Plate V. Photographs showing growth phases in scutes of *Eretmochelys imbricata*. *a* and *b* adolescent with imbricate scutes. *b* with anterior plastral scutes juxtaposed. *c* adult female with scutes subimbricate. *d* old female with scutes juxtaposed.
- Plate VI. Crocodiles of Ceylon and India. 1. *Crocodylus palustris kimbula* Deraniyagala from Nikavāratiya (Paratype in Mus. Comp. Zool. Harvard) $\times \frac{3}{8}$ nat. size. 2. *Crocodylus palustris palustris* Lesson from North India (Specimen in Indian Museum, Calcutta, from North India) $\times \frac{3}{8}$ nat. size. 3. Newly hatched *Crocodylus palustris kimbula* $\times \frac{1}{2}$ nat. size. Note the large spots and subequal limbs. 4. Young *Crocodylus porosus* Schneider, captured at Bolgoda $\times \frac{1}{2}$ nat size. Note elongate snout and hind limbs and smaller spots.
- Plate VII. *Crocodylus porosus* Schneider. 1. Sketch of an adult. 2. Skull of Bentota man-eater, 7½ feet long (photograph). 3. Large adult from Kuchavalli (E. P.) (photograph). 4. Large adult from Kumana (E. P.) (photograph). 5, 6, and 7. The mandibles of 2, 3, and 4.
- Plate VIII. *Crocodylus porosus* Schneider. 1. Female guarding her nest, photographed by the writer on July 26, 1936, at 11 a.m. 2. The same female shot by the writer and the eggs exposed. 3. The eggs hatching out in the Colombo National Museum Laboratory on September 15, 1936.
- Plate IX. Some Gekkonidae of Ceylon showing gular scalation and subdigital lamellae. (1) *Gekkoella triedrus* $\times 1\frac{1}{2}$. (2) *Gymnodactylus frenatus* $\times 1$. (3) *Cnemaspis jerdoni scalpensis* $\times 6$. (4) *Cnemaspis kandianus kandianus* $\times 7$. (5) *Cnemaspis kandianus gracilis* $\times 7$. (6) *Hemidactylus depressus* $\times 1.4$. (7) *Hemidactylus triedrus* $\times 1.2$. (8) *Gehyra mutilata* $\times 2.5$. (9) *Lepidodactylus lugubris* $\times 4$. (10) Foot of *Lophopholis scabriceps* $\times 6$. (11) Foot of *Hemiphyllodactylus typus typus* $\times 5$.
- Plate X. Some Hemidactylinae of Ceylon. 1. *Hemidactylus frenatus* $\times 3$. 2. *Hemidactylus leichenaulti* $\times 1$. 3. *Hemidactylus triedrus lankae* $\times 1.4$.
- Plate XI. (a), (b), *Calodactylodes illingworthi* Deraniyagala. (c) *Bipedes anasinoricus* (Müller).